

PARTS LIST:

ITEM	QTY -101	QTY -101B	PART NUMBER	DESCRIPTION
	X		D205-596-101	CROSSTUBE ASSEMBLY, HI-HI FWD
	X		D205-596-101B	CROSSTUBE ASSEMBLY, HI-HI FWD, 214
1	1	1	D6005-180	CROSSTUBE
2	2		D2893-1	SUPPORT
3	4	4	D3595-063-450	RUBBER CUSHION
4		2	D5017-1	SUPPORT, 214 FWD
5	4	4	MS21920-25	CLAMP
6	A/R	A/R	PROSEAL 890 B-2	SEALANT (OR AMS-S-8802 CLASS B-2)

GENERAL NOTES:

- 1) MATERIAL: MANUFACTURE FROM D6005-180  
FINISHED LENGTH =  $149.60 \pm 0.02$
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2  
PAINT OUTSIDE PER DART 005 4.2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: SCRIBE DART PART NUMBER AND BATCH NUMBER IN THIS AREA WITH VIBRATING STYLUS
- 7) WEIGHT: 44 lbs
- 8) PART IS SYMMETRIC ABOUT CENTERLINE
- 9) BEND PROGRESSIVELY WITH A MINIMUM OF 3 PASSES. MAXIMUM TUBE FLATTENING DUE TO BENDING IS 6% BASED ON O.D.
- 10) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR DENTS. DEFECTS UP TO 0.005" MAY BE BLENDDED OUT LONGITUDINALLY. CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE.
- 11) TO INSTALL D2893-1 / D5017-1 SUPPORTS: ABRADE MATING SURFACE OF SUPPORT AND CROSSTUBE WITH 180-GRIT SANDPAPER AND REMOVE RESIDUE WITH MEK (OR EQUIVALENT). APPLY A 0.04" TO 0.07" THICK LAYER OF PROSEAL 890 CLASS B-2 (OR AMS-S-8802 CLASS B-2) SEALANT TO MATING SURFACE OF SUPPORT.
- 12) INSTALL MS21920-25 CLAMPS WITH D3595-063-450 RUBBER CUSHIONS TO SECURE D2893-1 / D5017-1 SUPPORT. ENSURE CLAMP MECHANISMS ARE ON TOP SIDE OF CROSSTUBE.  
NOTE: IT IS ACCEPTABLE TO SUBSTITUTE MS21920-25 CLAMPS WITH LONGER (MS21920-26) OR SHORTER (MS21920-24) CLAMPS TO ACCOMODATE VARYING DIAMETERS. ENSURE THERE IS A MINIMUM OF 1.5 THREADS IN SAFETY ON THE NUTS.
- 13) TORQUE CLAMPS 80 TO 100 IN-LB. ENSURE AT LEAST 1.5 THREADS SHOWING IN SAFETY AND THAT NUT HAS NOT BOTTOMED-OUT AFTER TORQUING. PRIOR TO PACKAGING, RE-CHECK TORQUE ON CLAMPS AFTER PROSEAL 890 SEALANT HAS CURED FOR 72 HOURS.

RELEASED

2018 JAN 24

ECN 18-525

C	REFORMAT, ADD SHT 3, HEIGHT/WIDTH TOL IS. $\pm 0.13$ WAS $\pm 0.1$ , ADD TOTAL WIDTH DIM (B4-2, B4-3), CLAMP ORIENTATION FLIPPED (A5-2, A5-3), INCORP ALL DEO'S	CP	17.08.23
B	SUPPORT NOW MAGNOBONDED; REMOVE D2856-600-851 ABRASION STRIP; UPDATED NOTES; ADDED D3595-063-450 CUSHION; MS21920-25 WAS MS21920-24	MB	07.12.03
A	NEW ISSUE	DS	02.05.27
REV.	DESCRIPTION		BY DATE
DESIGN	<i>4</i>		DART AEROSPACE LTD
DRAWN	<i>q</i>		HAWKESBURY, ONTARIO, CANADA
CHECKED	<i>AS</i>		REV. C
MFG. APPR.	<i>AS</i>		D205-596-101
APPROVED	<i>WM</i>		SHEET 1 OF 3
DE APPR.	<i>AS</i>		SCALE
DATE	17.08.23		NTS
COPRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			



